


The information contained in this drawing is the sole property of CWS Coil Winding Specialist. Any reproduction in part or whole without written permission of CWS Coil Winding Specialist is prohibited.

REVISION HISTORY

REV	ECN	DESCRIPTION	DATE	BY	DATE	CHK	DATE
A		PRODUCTION RELEASE		RPR	3/06/06	JLJU	3/06/06



6 WHERE SHOWN, USING A PERMANENT MARKING METHOD MARK PART NUMBER AND REVISION APPROX




5 REMOVE INSULATION AND SOLDER TO BOBBIN LEADS

4 WIND BOTH COILS EVENLY SPACED ON BOBBIN CONSTRUCTION:

INSURE INTEGRITY OF WINDING SEPARATION HI-POT TEST FOR INTERWINDING ISOLATION, 1250VDC TO WIRE SIZE DIAMETER = 1.0 MILLIMETER NUMBER OF TURNS = 16 DCR = 0.03 OHMS MAX CURRENT RATING = 6.0A AC L = 1.00 mH MIN @ 10 KHZ, 0.250 Vrms; SPECIFICATIONS @ 25 °C

3 WIRE: UL RECOGNIZED 130° RATED MAGNET WIRE CWS BYTEMARK OR OTHER APPROVED PART CORE: SINGLE PIECE FERRITE H CORE

1 BOBBIN RATING CLASS B (130°) REQUIRED MATERIAL: UL RECOGNIZED 94V-0 FOR FLAMMABILITY NOTES: UNLESS OTHERWISE SPECIFIED.



QTY	UM	CODE	DESCRIPTION	ITEM NO.																																			
			PARTS LIST																																				
<table border="1"> <tr> <td>AUTOCAD</td> <td>X</td> <td></td> <td></td> <td></td> </tr> <tr> <td>SOLIDWORKS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DESIGNER</td> <td>SGN</td> <td>DATE</td> <td></td> <td></td> </tr> <tr> <td>DRAWN</td> <td>RPR</td> <td>3/06/06</td> <td></td> <td></td> </tr> <tr> <td>CHECKED</td> <td>JLJU</td> <td>3/06/06</td> <td></td> <td></td> </tr> <tr> <td>ENGR.</td> <td>KSUM</td> <td>3/06/06</td> <td></td> <td></td> </tr> <tr> <td>APPR.</td> <td>JLJU</td> <td>3/06/06</td> <td></td> <td></td> </tr> </table>					AUTOCAD	X				SOLIDWORKS					DESIGNER	SGN	DATE			DRAWN	RPR	3/06/06			CHECKED	JLJU	3/06/06			ENGR.	KSUM	3/06/06			APPR.	JLJU	3/06/06		
AUTOCAD	X																																						
SOLIDWORKS																																							
DESIGNER	SGN	DATE																																					
DRAWN	RPR	3/06/06																																					
CHECKED	JLJU	3/06/06																																					
ENGR.	KSUM	3/06/06																																					
APPR.	JLJU	3/06/06																																					
<table border="1"> <tr> <td>TITLE</td> <td colspan="4">Common Mode Line Filter Vertical Mount</td> </tr> <tr> <td>MFG. P/N</td> <td colspan="4">CWS Coil Winding Specialist.</td> </tr> <tr> <td>WWW.COILWS.COM</td> <td colspan="4">353 W. GROVE AVE. ORANGE, CA. 92665</td> </tr> <tr> <td>SIZE</td> <td>DWG. NO.</td> <td colspan="3">35V_1K0</td> </tr> <tr> <td>SCALE</td> <td>B</td> <td colspan="3">1=1</td> </tr> </table>					TITLE	Common Mode Line Filter Vertical Mount				MFG. P/N	CWS Coil Winding Specialist.				WWW.COILWS.COM	353 W. GROVE AVE. ORANGE, CA. 92665				SIZE	DWG. NO.	35V_1K0			SCALE	B	1=1												
TITLE	Common Mode Line Filter Vertical Mount																																						
MFG. P/N	CWS Coil Winding Specialist.																																						
WWW.COILWS.COM	353 W. GROVE AVE. ORANGE, CA. 92665																																						
SIZE	DWG. NO.	35V_1K0																																					
SCALE	B	1=1																																					

UNLESS OTHERWISE SPECIFIED DIMENSIONING AND TOLERANCE PER ANSI Y14.5M ALL DIMENSIONS ARE IN INCHES AND DIMENSIONS ARE IN MILLIMETERS TOLERANCE INCHES: .XXX = ±.010 .XX = ±.015 TOLERANCE METRCS: .XXX = ±.254 .XX = ±.08 ANGLE PROJECTION DO NOT SCALE DRAWINGS